



LEAD

FLAT " H " CAME



ALL PACK IN 6 FTS (1.82 M) LONG BOX . NET 45 LBS (20.41 KGS)

FLAT " H " CAMES



Name of Product	Channel " A "	Face " B "	Width " C "	Channel Depth " D "	Strips per 45 lb box
FH - 3	0.177	0.392	0.257	0.172	56
FH - 11	0.187	0.750	0.300	0.347	17
FH - 12	0.156	0.749	0.226	0.351	26
FH - 21	0.232	0.750	0.326	0.353	20
FH - 26	0.156	0.500	0.222	0.227	41
FH - 26R	0.156	0.500	0.272	0.227	30
FH - 26T	0.160	0.500	0.240	0.227	41
FH - 27R	0.165	0.991	0.275	0.470	23
FH - 28	0.157	0.312	0.237	0.131	43
FH - 39	0.187	0.563	0.283	0.258	26
FH - 45	0.190	0.375	0.280	0.168	35
FH - 46	0.157	0.375	0.228	0.169	47
FH - 48	0.156	0.280	0.220	0.117	62
FH - 50	0.185	0.250	0.270	0.105	57
FH - 60	0.187	0.187	0.247	0.079	95
FH - 61	0.157	0.220	0.227	0.092	74
FH - 62	0.156	0.625	0.236	0.289	28
FH - 69E	0.222	0.492	0.308	0.226	29
FH - 73	0.095	0.219	0.157	0.094	95
FH - 75	0.187	0.750	0.300	0.349	17
FH-750S	0.157	0.750	0.285	0.353	15

1 inch = 1.000 (decimal)

All dimensions in decimals

CONVERSION

Fraction	Decimal	mm
1/64	0.0156	0.396
1/32	0.0312	0.793
3/64	0.0468	1.190
1/16	0.0625	1.587
5/64	0.0781	1.984
3/32	0.0937	2.381
7/64	0.1093	2.778
1/8	0.1250	3.175
9/64	0.1406	3.571
5/32	0.1562	3.968
11/64	0.1718	4.365
3/16	0.1875	4.762
13/64	0.2031	5.159
7/32	0.2187	5.556
15/64	0.2343	5.953
1/4	0.2500	6.350
17/64	0.2656	6.746
9/32	0.2812	7.143
19/64	0.2968	7.540
5/16	0.3125	7.937
21/64	0.3281	8.334
11/32	0.3437	8.731

CONVERSION

Fraction	Decimal	mm
23/65	0.3593	9.128
3/8	0.3750	9.525
25/64	0.3906	9.921
13/32	0.4062	10.318
27/64	0.4218	10.715
7/16	0.4375	11.112
29/64	0.4531	11.509
15/32	0.4687	11.906
31/64	0.4843	12.303
1/2	0.5000	12.700
33/64	0.5156	13.096
17/32	0.5312	13.493
35/64	0.5468	13.890
9/16	0.5625	14.287
37/64	0.5781	14.684
19/32	0.5937	15.081
39/64	0.6093	15.478
5/8	0.6250	15.875
41/64	0.6406	16.271
21/32	0.6562	16.668
43/64	0.6718	17.065
11/16	0.6875	17.462

CONVERSION

Fraction	Decimal	mm
45/64	0.7031	17.859
23/32	0.7187	18.256
47/64	0.7343	18.653
3/4	0.7500	19.050
49/64	0.7656	19.446
25/32	0.7812	19.843
51/64	0.7968	20.240
13/16	0.8125	20.637
53/64	0.8281	21.034
27/32	0.8437	21.431
55/64	0.8593	21.828
27/32	0.8437	21.431
55/64	0.8593	21.828
7/8	0.8750	22.225
57/64	0.8906	22.621
29/32	0.9062	23.018
59/64	0.9218	23.415
15/16	0.9375	23.812
61/64	0.9531	24.209
31/32	0.9687	24.606
63/64	0.9843	25.003
1"	1.0000	25.400