



LEAD

HIGH HEART ROUND "H" CAME
HIGH HEART FLAT "H" CAME



ALL PACK IN 6 FTS (1.82 M) LONG BOX . NET 45 LBS (20.41 KGS)




HIGH HEART ROUND "H" CAMS

Name of Product	Channel " A "	Face " B "	Width " C "	Channel Depth " D "	Radius " E "	Strips per 45 lb box
RH-4 HH	0.250	0.218	0.354	0.084	0.140	52
RH-7 HH	0.250	0.250	0.365	0.100	0.165	47
RH-12 HH	0.250	0.197	0.374	0.073	0.129	49
RH-38 HH	0.250	0.375	0.430	0.158	0.240	25
RH-39 HH	0.330	0.375	0.475	0.167	0.257	28
RH-43 HH	0.344	0.502	0.484	0.219	0.555	43
RH-64HH	0.265	0.255	0.429	0.103	0.140	35
RH-109HH	0.315	0.235	0.409	0.102	0.170	59
RH-110HH	0.315	0.219	0.409	0.094	0.151	

1 inch = 1.000 (decimal)

All dimensions in decimals



HIGH HEART FLAT "H" CAMS

Name of Product	Channel " A "	Face " B "	Width " C "	Channel Depth " D "	Strips per 45 lb box
FH-15HH	0.312	0.625	0.402	0.283	
FH-16HH	0.312	0.750	0.392	0.348	19
FH-26HH	0.250	0.500	0.320	0.223	32
FH-44HH	0.250	0.371	0.335	0.160	34
FH-46HH	0.250	0.375	0.320	0.163	40
FH-50HH	0.250	0.250	0.32	0.095	49
FH-250HH	0.296	0.250	0.375	0.110	55
FH-380HH	0.296	0.375	0.374	0.165	36
FH-516HH	0.296	0.312	0.375	0.141	47
FH-630HH	0.312	0.625	0.402	0.283	21
FH-1.HH	0.251	1.000	0.341	0.475	9

1 inch = 1.000 (decimal)

All dimensions in decimals

CONVERSION

Fraction	Decimal	mm
1/64	0.0156	0.396
1/32	0.0312	0.793
3/64	0.0468	1.190
1/16	0.0625	1.587
5/64	0.0781	1.984
3/32	0.0937	2.381
7/64	0.1093	2.778
1/8	0.1250	3.175
9/64	0.1406	3.571
5/32	0.1562	3.968
11/64	0.1718	4.365
3/16	0.1875	4.762
13/64	0.2031	5.159
7/32	0.2187	5.556
15/64	0.2343	5.953
1/4	0.2500	6.350
17/64	0.2656	6.746
9/32	0.2812	7.143
19/64	0.2968	7.540
5/16	0.3125	7.937
21/64	0.3281	8.334
11/32	0.3437	8.731

CONVERSION

Fraction	Decimal	mm
23/65	0.3593	9.128
3/8	0.3750	9.525
25/64	0.3906	9.921
13/32	0.4062	10.318
27/64	0.4218	10.715
7/16	0.4375	11.112
29/64	0.4531	11.509
15/32	0.4687	11.906
31/64	0.4843	12.303
1/2	0.5000	12.700
33/64	0.5156	13.096
17/32	0.5312	13.493
35/64	0.5468	13.890
9/16	0.5625	14.287
37/64	0.5781	14.684
19/32	0.5937	15.081
39/64	0.6093	15.478
5/8	0.6250	15.875
41/64	0.6406	16.271
21/32	0.6562	16.668
43/64	0.6718	17.065
11/16	0.6875	17.462

CONVERSION

Fraction	Decimal	mm
45/64	0.7031	17.859
23/32	0.7187	18.256
47/64	0.7343	18.653
3/4	0.7500	19.050
49/64	0.7656	19.446
25/32	0.7812	19.843
51/64	0.7968	20.240
13/16	0.8125	20.637
53/64	0.8281	21.034
27/32	0.8437	21.431
55/64	0.8593	21.828
27/32	0.8437	21.431
55/64	0.8593	21.828
7/8	0.8750	22.225
57/64	0.8906	22.621
29/32	0.9062	23.018
59/64	0.9218	23.415
15/16	0.9375	23.812
61/64	0.9531	24.209
31/32	0.9687	24.606
63/64	0.9843	25.003
1"	1.0000	25.400