

LEAD


ROUND "U" CAME



ALL PACK IN 6 FTS (1.82 M) LONG BOX . NET 45 LBS (20.41 KGS)

ROUND "U " CAMES

FLAT SIDES ROUND BOTTOM




Name of Product	Channel " A "	Face " B "	Width " C "	Channel Depth "D"	Radius " E "	Strips per 45 lb box
RU - 80	0.156	0.202	0.230	0.120	0.121	65
RU - 81	0.156	0.202	0.228	0.119	0.115	61
RU - 85	0.200	0.233	0.270	0.153	0.267	58
RU - 87	0.154	0.178	0.214	0.098	0.112	84

1 inch = 1.000 (decimal)

All dimensions in decimals

SQUARE " U " CAMES




Name of Product	Channel " A "	Face " B "	Width " C "	Channel Depth "D"	Strips per 45 lb box
SU - 25	0.156	0.251	0.250	0.119	43
SU - 38	0.156	0.394	0.250	0.119	20
SU - 53	0.141	0.219	0.204	0.156	68
SU - 54	0.156	0.187	0.237	0.150	71
SU - 55	0.157	0.237	0.242	0.190	58
SU - 56	0.136	0.075	0.196	0.042	170
SU - 57	0.140	0.102	0.225	0.057	103
SU - 57N	0.124	0.102	0.225	0.057	98
SU - 58	0.138	0.093	0.221	0.050	106
SU - 58N	0.120	0.093	0.221	0.050	101
SU - 59	0.162	0.079	0.229	0.056	171
SU - 60	0.156	0.220	0.220	0.188	83

1 inch = 1.000 (decimal)

All dimensions in decimals

ROUND "U" CAMES

ROUND SIDES FLAT BOTOM




Name of Product	Channel " A "	Face " B "	Width " C "	Channel Depth "D"	Radius " E "	Strips per 45 lb box
RU - 01	0.150	0.087	0.202	0.059	0.048	195
RU - 61	0.156	0.094	0.250	0.056	0.054	120
RU - 70	0.156	0.189	0.250	0.139	0.132	73
RU - 71	0.188	0.250	0.308	0.176	0.289	43
RU - 72	0.175	0.202	0.285	0.160	0.213	
RU - 90	0.130	0.125	0.231	0.091	0.170	106
RU-92S	0.156	0.106	0.226	0.045	0.100	99
RU - 93	0.156	0.139	0.236	0.079	0.102	85
RU - 94	0.136	0.094	0.223	0.053	0.052	134
RU - 98	0.140	0.074	0.244	0.046	0.048	167
RU - 98R	0.140	0.108	0.230	0.052	0.054	116
RU - 100	0.156	0.075	0.228	0.046	0.038	175
RU - 102	0.153	0.100	0.230	0.060	0.052	127
RU - 105	0.127	0.098	0.211	0.067	0.310	190
RU - 106	0.140	0.085	0.245	0.063	0.218	
RU - 108	0.170	0.139	0.270	0.099	0.246	91

1 inch = 1.000 (decimal)

All dimensions in decimals

ROUND "U " CAMES

ROUND SIDES ROUND BOTTOM




Name of Product	Channel " A "	Face " B "	Width " C "	Channel Depth "D"	Radius " E "	Strips per 45 lb box
RU - 62	0.220	0.206	0.328	0.145	0.170	63
RU - 83A	0.110	0.132	0.174	0.071	0.093	142
RU - 84	0.148	0.174	0.253	0.118	0.144	77
RU - 86	0.156	0.189	0.250	0.119	0.178	48
RU - 95	0.109	0.130	0.201	0.067	0.071	105
RU - 100S	0.156	0.106	0.242	0.044	0.154	98
RU - 107	0.151	0.175	0.231	0.083	0.084	86

1 inch = 1.000 (decimal)

All dimensions in decimals

ROUND "U " CAMES

FLAT SIDES FLAT BOTTOM



Name of Product	Channel " A "	Face " B "	Width " C "	Channel Depth "D"	Strips per 45 lb box
RU - 75	0.125	0.104	0.232	0.056	104
RU - 96	0.190	0.120	0.244	0.080	124
RU - 96W	0.210	0.120	0.264	0.080	93
RU - 97W	0.275	0.120	0.329	0.080	89
RU - 104	0.280	0.125	0.372	0.095	66
RU - 109	0.178	0.138	0.256	0.098	88

1 inch = 1.000 (decimal)

All dimensions in decimals

CONVERSION

Fraction	Decimal	mm
1/64	0.0156	0.396
1/32	0.0312	0.793
3/64	0.0468	1.190
1/16	0.0625	1.587
5/64	0.0781	1.984
3/32	0.0937	2.381
7/64	0.1093	2.778
1/8	0.1250	3.175
9/64	0.1406	3.571
5/32	0.1562	3.968
11/64	0.1718	4.365
3/16	0.1875	4.762
13/64	0.2031	5.159
7/32	0.2187	5.556
15/64	0.2343	5.953
1/4	0.2500	6.350
17/64	0.2656	6.746
9/32	0.2812	7.143
19/64	0.2968	7.540
5/16	0.3125	7.937
21/64	0.3281	8.334
11/32	0.3437	8.731

CONVERSION

Fraction	Decimal	mm
23/65	0.3593	9.128
3/8	0.3750	9.525
25/64	0.3906	9.921
13/32	0.4062	10.318
27/64	0.4218	10.715
7/16	0.4375	11.112
29/64	0.4531	11.509
15/32	0.4687	11.906
31/64	0.4843	12.303
1/2	0.5000	12.700
33/64	0.5156	13.096
17/32	0.5312	13.493
35/64	0.5468	13.890
9/16	0.5625	14.287
37/64	0.5781	14.684
19/32	0.5937	15.081
39/64	0.6093	15.478
5/8	0.6250	15.875
41/64	0.6406	16.271
21/32	0.6562	16.668
43/64	0.6718	17.065
11/16	0.6875	17.462

CONVERSION

Fraction	Decimal	mm
45/64	0.7031	17.859
23/32	0.7187	18.256
47/64	0.7343	18.653
3/4	0.7500	19.050
49/64	0.7656	19.446
25/32	0.7812	19.843
51/64	0.7968	20.240
13/16	0.8125	20.637
53/64	0.8281	21.034
27/32	0.8437	21.431
55/64	0.8593	21.828
27/32	0.8437	21.431
55/64	0.8593	21.828
7/8	0.8750	22.225
57/64	0.8906	22.621
29/32	0.9062	23.018
59/64	0.9218	23.415
15/16	0.9375	23.812
61/64	0.9531	24.209
31/32	0.9687	24.606
63/64	0.9843	25.003
1"	1.0000	25.400